

**For the problem of
hospital pathogens—
we have an
economical
solution**

Sonacide[®]
**(potentiated acid
glutaraldehyde)**
Sterilant/Disinfectant



Extended microbiocidal life

SONACIDE can be practically used and reused for four weeks in an open container at room temperature or in a closed container at elevated temperature.

Helps keep costs down

Due to its extended microbiocidal life, SONACIDE offers significant economy. In addition, lower inventories and less storage space are required.

Ready for immediate use

Lemon-scented SONACIDE requires no premixing, no buffer additive . . . use as is.

Outstanding microbiocidal effectiveness

At room temperature, SONACIDE kills a wide spectrum of hospital pathogens including bacteria, fungi, and viruses* in 10 minutes . . . tubercle bacilli in 20 minutes. As a sterilant, SONACIDE kills all microorganisms, including vacuum-dried spores, in one hour at 60° C. (140° F.).

Particularly useful for anesthesiology and inhalation equipment

Effective against all relevant respiratory and other pathogens, SONACIDE is well-suited for decontamination of face masks and rubber or plastic tubing used in anesthesiology and inhalation therapy, and will not interfere with the electrical conductivity of rubber anesthesiology equipment. Before immersion, equipment should be pre-cleaned to remove any adhering debris or serous exudate. Refer to product information for limitations on use with metal instruments.

Supplied: In 1 gallon and 5 gallon plastic containers. For additional information, contact your Ayerst Representative or write to Ayerst Laboratories.

*When used as a disinfectant at room temperature, will kill Influenza A₂ (Hong Kong) virus, herpes simplex virus, Newcastle disease virus, and Echo virus Type 25 on inanimate surfaces. It is not possible to test effect on the human hepatitis viruses by methods currently available.
EPA Reg. No. 8991-11 EPA Est. 8991-NY-1

7618



Ayerst

AYERST LABORATORIES
New York, N.Y. 10017

*a new
publication
from **ASM** . . .*

INTERNATIONAL
CODE
OF NOMENCLATURE OF
BACTERIA

Edited by S.P. Lapage, P.H.A. Sneath, E.F. Lessel,
V.B.D. Skerman, H.P.R. Seeliger, and W.A. Clark

THE 1975 INTERNATIONAL CODE is an essential reference work for all bacteriologists, representing as it does a landmark in the naming of bacteria.

New requirements for the valid publication of names come into force with the publication of this Code. It gives a glimpse into the future of nomenclature, and outlines the rules under which it is proposed that bacteriological nomenclature will be based on a sound and scientific footing. All scientists interested in bacterial nomenclature and taxonomy will find the Code indispensable.

Published by **ASM** for the
International Association of Microbiological Societies

Publication: December 1975

152 pages, \$5.00

Please direct all orders and inquiries to the publisher:

AMERICAN SOCIETY FOR MICROBIOLOGY

PUBLICATIONS OFFICE, 1913 I STREET N.W. WASHINGTON, D.C. 20006



Announcing publication
of **the** indispensable
laboratory manual—

MANUAL OF CLINICAL IMMUNOLOGY

Edited by Noel R. Rose and
Herman Friedman

A joint effort by members of the American Society for Microbiology
and the American Association of Immunologists

This definitive and much needed new book is a companion volume to the highly acclaimed *Manual of Clinical Microbiology*, 2nd Edition. It has been written to provide a current, comprehensive, and definitive source of information about the best methods for conducting specific immunological tests in laboratory immunology. It will be invaluable for:

□ laboratory directors and technologists responsible for the performance of immunological tests in the clinical laboratory □ graduate students □ medical students □ medical technology students □ post-doctoral trainees □ residents □ fellows □ clinicians.

In addition, it will be an essential addition to the working library of every clinical chemistry laboratory, blood bank, and hematology laboratory. It also belongs in laboratories involved in the diagnosis of autoimmune and collagen diseases, surgical laboratories doing tissue and organ transplantation, and labora-

tories involved with cancer immunology. It deals exclusively with the applications of immunology to the detection and analysis of a wide variety of diseases, including, but not limited to, those induced by microorganisms. The clinical interpretations of each procedure are detailed, and pitfalls and problems in performing the various analyses are discussed.

The contents, by section, are:

□ Tests for humoral components of the immunological response □ Tests for cellular components of the immunological response □ Immunoassays □ Bacterial, mycotic, and parasitic immunology □ Viral, rickettsial, and chlamydial immunology □ Immunohematology □ Laboratory examination of patients with allergic and immunodeficiency diseases □ Autoimmune diseases □ Tumor immunology □ Transplantation immunology □ Licensure and certification programs in clinical immunology laboratories.

Publication date: 16 August 1976. 932 pages, fully illustrated.

Available in two bindings:

Cloth, at \$20.00 (ISBN: 0-914826-09-3) and durable, plastic-coated, flexible binding, ideal for bench or classroom use, at \$16.00 (ISBN: 0-914826-10-7).

(Note: Members of ASM may purchase this book at the special member discount price of \$12.00 cloth, \$10.00 flexible. Member purchases are for personal use only. Payment *must* accompany member orders.)

Published and distributed by:
AMERICAN SOCIETY FOR MICROBIOLOGY
Publications Office
1913 I Street, N.W., Washington, D.C. 20006

*The definitive reference book
in clinical microbiology*

Manual of Clinical Microbiology

2nd Edition

EDITORS

Edwin H. Lennette

*Viral and Rickettsial Disease Laboratory,
California Department of Health, Berkeley*

Earle H. Spaulding

*Department of Microbiology and Immunology,
Temple University Health Sciences Center, Philadelphia*

Joseph P. Truant

Advance Medical Laboratories, Pontiac, Michigan

Since publication in August 1974, the completely revised and up-dated second edition of *Manual of Clinical Microbiology* has been established as an extraordinarily useful guide for all involved in laboratory work. It has also been widely adopted as a textbook, both for medical students and medical technology students. If you do not already own a copy of this exceptional book, please take this opportunity to place your order today.

In the book, the appropriate methods for complete microbiological examination of clinical specimens are fully presented, as are the correct procedures for the isolation and identification of bacteria, fungi, viruses, and parasites. While emphasis is given to those organisms most commonly found in human infection, the rarer organisms are not ignored.

Contents by Section

- General
- Aerobic Bacteria
- Spirochetes
- Anaerobic Bacteria
- Susceptibility Testing of Antimicrobial Agents
- Immunoserological Tests
- Fungi
- Parasites
- Viruses and Rickettsiae
- Infection Prevention - Quality Control
- Media, Reagents, and Stains

The book is available hardbound, at \$20.00, or bound in a sturdy flexible cover, at \$16.00. It contains 970 pages and 246 illustrations.

(Available to ASM members at \$12.00 for the hard cover, \$10.00 for the flexible cover. If ordering at member rates, please remit payment with order.)

Please direct all inquiries and orders to the publisher.

American Society for Microbiology

1913 I Street, N.W., Washington, D.C. 20006

announcing...

THE CLASSIC
CLEANSE OF
TOMORROW



NEW **HIBICLENS[®]**

ANTIMICROBIAL SKIN CLEANSER

**ANSWERING THE HOSPITAL
NEED FOR A WIDE-RANGE
ANTIMICROBIAL CLEANSER...**

**GENTLE TO
THE SKIN IT CLEANSSES.**



**AS A SIX-MINUTE
SURGICAL SCRUB**



AS A HANDWASH



AS A WOUND CLEANSER

ANTIMICROBIAL EFFECTIVENESS

❑ Wide-range antimicrobial activity.


The active ingredient in HIBICLENS, chlorhexidine gluconate, has proven effective in vitro against a wide range of organisms commonly encountered in the hospital.

Representative organisms included in the HIBICLENS spectrum are listed opposite...with corresponding MIC's (Minimum Inhibitory Concentrations):

bacteria		MIC of HIBICLENS (µg./ml.)
gram-positive	Staphylococcus species	0.25 — 2.5
	Streptococcus species	4.0 — 5.0
gram-negative	E. coli	2.5 — 7.5
	N. gonorrhoeae	4.0
	Proteus species	5.0 — 12.5
	Pseudomonas aeruginosa	25.0 — 50.0
	Serratia marcescens	25.0 — 75.0


❑ Rapid bactericidal activity.

Since HIBICLENS kills bacteria on contact, repeated cleansing is not necessary for a high level of effectiveness. This is especially helpful in the prevention of cross-infection between patients and health-care personnel.



❑ Persistent antimicrobial activity.

HIBICLENS maintains a high level of residual activity...thereby helping to prevent bacterial regrowth.



SAFE AND NONIRRITATING

Extensive clinical trials have revealed no evidence of toxicity with the use of HIBICLENS.

Moreover, HIBICLENS can be used many times a day without any significant problem of

irritation or sensitization.

And when used as a cleanse for superficial skin wounds,* HIBICLENS will neither cause additional tissue injury nor delay wound healing.

AS ELEGANT AS IT IS EFFECTIVE

HIBICLENS has an elegant consistency that leaves the skin smooth and supple...even with repeated use.

HIBICLENS is nongreasy...and rinses away easily. Its soft, lubricating feel is highly acceptable to those who use it in the hospital environment.

The light, agreeable scent of HIBICLENS is another factor that makes it especially pleasant to health-care personnel.

*HIBICLENS is for external use only. It should be kept out of eyes and ears.

References: 1. Data on file, Stuart Pharmaceuticals. 2. Stevens, F. et al., Medikon 2:369 (Oct.) 1973. 3. Lilly, H.A. and Lowbury, E.J.L., Brit. Med. J. 4:372 (Nov. 16) 1974.

THE CLASSIC CLEANSE OF TOMORROW...

NEW HIBICLENS®

CHLORHEXIDINE GLUCONATE



For use in surgical scrub areas:


- ☐ 32-oz. disposable plastic bottle—
with a special wall dispenser
operated by foot pedal.

For use in general hand-washing locations:

- ☐ 4-oz. and 8-oz. squeeze bottles—
with turret dispenser cap for quick,
easy use.
- ☐ 32-oz. disposable plastic bottle—
with a special wall dispenser operated
by foot pedal...or with self-metering
hand pump.
- ☐ 1-gallon plastic bottle—with self-
metering hand pump.



STUART PHARMACEUTICALS | Wilmington, DE 19897
Division of ICI United States Inc.



SPORES VI

EDITORS:

Philipp Gerhardt, Harold L. Sadoff, and Ralph N. Costilow

This new book comprises papers selected from the **Sixth International Spore Conference**, held at Michigan State University, October 10-13, 1974.

Comparative sporology of diverse microbes, other than the Bacillaceae, is one main theme of this volume. A series of review articles brings together critical assessments of what is known and what is not known about prokaryotic and eukaryotic spores and similar resting bodies of the following groups: actinomycetes, myxobacteria, azotobacter, slime molds, blue-green algae, fungi, and yeasts.

Molecular aspects of developmental biology constitute the second major theme of this volume, represented in a group of papers on the widely studied spores of *Bacillus* and *Clostridium*. Molecular control and regulation of differentiation dominate study of the cellular processes of sporulation and germination in the next two sections. Papers on dormancy and resistance comprise a fourth section, while a fifth section includes updated genetic maps of *Bacillus subtilis* and papers on special methods used in spore research.

AUGUST 1975, 619 pages, illustrated, \$15.00

Members of **ASM** may purchase **SPORES VI** for \$8.00

Please direct all orders and inquiries to:

AMERICAN SOCIETY FOR MICROBIOLOGY

PUBLICATIONS OFFICE, 1913 I STREET N.W. WASHINGTON, D.C. 20006

THE DIFCO 100 ml BLOOD CULTURE BOTTLE MEANS BETTER RECOVERY RATES. All the features that made the Difco 50 ml Blood Culture Bottle No 1 are inherent in the 100 ml bottle, but, in addition, this Difco blood culture system allows for the larger blood samples now recommended by leading authorities for better recovery rates. An optimum 1:10 or higher blood to medium ratio is still maintained with the larger blood sample. Start now to use the Bigger and Better System for one of the most important microbiological procedures that you perform.

Available in the leading media:

Thiol Broth
Tryptic Soy Broth
Brain Heart Infusion
Columbia Broth
Fluid Thioglycollate Medium

All w/CO₂ under vacuum.
SPS or SPS and Sucrose as needed.

When Bigger is Better



DIFCO
LABORATORIES
DETROIT, MICHIGAN 48232 USA